## UNITED STATES DEPARTMENT OF COMMERCE



National Oceanic Atmospheric Administration National Marine Fisheries Service Sustainable Fisheries Division 7600 Sand Point Way N. E., Building. 1, Bin C15700 Seattle, WA 98115-0070

DATE: August 8, 2008 TO: DISTRIBUTION

FROM: F/NWR2 -Becky Renko

SUBJECT: PRELIMINARY Report 8 -- 2008 Pacific Whiting Fishery

This report consolidates preliminary state, federal, and tribal data for the 2008 Pacific whiting fishery. Due to concerns about the incidental catch of overfished species, bycatch limits are in place in the non-tribal sectors of the fishery for canary (4.7 mt), darkblotched (40 mt) and widow rockfish (275 mt). If any of the bycatch limits is reached, the primary whiting seasons for the non-tribal fisheries will end regardless of the amount of whiting allocation remaining.

	Allocation		Whiting	0 51 15			Percent
	Percentages	Metric Tons	Catch* (mt)	Overfished Species and Chinook salmon catch	Thru [date]	Status	of alloca- tion taken
California (south of 42° N. lat.)	(5% of the shore – based allocation)	4,880	4,815			started 4/1, closed noon 5/21	98.7%
Coastwide			10,896			started 6/15	
WOC shore-based	42% commercial OY	97,669	15,711	Canary – 0.74 mt Widow – 42.48 mt Darkblotched – 0.90 mt Chinook # 144	8/6		16.1%
Mothership (n. of 42 N. lat.)	24% commercial OY	55,811	41,292	Canary – 0.73 mt Widow – 60.69 mt Darkblotched – 3.91 mt Chinook # 197	8/7	started 5/15	74.0%
Catcher/ processor (n. of 42 N. lat.)	34% commercial OY	79,065	44,456	Canary – 2.40 mt Widow –39.26 mt Darkblotched – 2.27 mt Chinook #85	8/7	started 5/15	56.2%
Total nontribal	commercial OY	232,545	101,459	Canary – 3.87 mt Widow – 142.43 mt Darkblotched – 7.08 mt Chinook # 426			43.6%
Tribal (Makah)		35,000	71	Canary – 0.02 mt Widow – 0.02 mt Darkblotched – 0.00 mt Chinook # 5	5/17		0.2%
Total directed fishing		267,545	101,530	Canary – 3.89 mt Widow – 142.45 mt Darkblotched – 7.08 mt Chinook # 431	1		37.9%
Total	OY=optimum yield	269,545		chara basad vassales and			

<sup>\*</sup> Catch includes: discards from at-sea processors; weigh-backs from shore-based vessels; and catch landed under trip limits prior to the season. The values for at-sea processing sectors are based on NMFS observer data. Data for shore-based vessels were derived from electronic fish ticket submissions. Data for the at-sea processing portion of the Makah fishery are based on preliminary NMFS observer data and shore-based catch provided by tribal samplers. All weights are in metric ton (2,204.6 pounds).